

2019

17171

19.1.0

ISO9001

ISO14001

OHSAS18001

/

.....	1
.....	1
.....	1
.....	2
.....	4
.....	6
.....	7
.....	8
.....	9
.....	9

1		GG571-A	/

1		220 11 V 50Hz
2		1KW
3		3.5in ² 22.6 cm ²
4		232 ± 5
5		7.1MPa
6		500mL
7		

1

1

2

3

500mL

4

5

QG-80

" 10"

" OFF"

1 220V

2

6~10

3

4

5

6

HTHP

7

90

8

3450kPa 500psi

5

30min

1h

9

5min

6500kPa(950psi)

10 45.2 cm 7.0in

22.6cm 3.5 in

11

12

mm

		psi	KPa	psi	KPa
212	100	14.7	101	100	690
250	121	30	207	100	690
300	149	67	462	100	690
350	177	135	932	160	1,104
400	204	237	1,704	275	1,898
450	232	422	2,912	450	3,105

1

2

3

4

1

0

2

3

2/3

4


1

2

5

3

GB/T 25480-2010

	O	" O "	
			

- 1
- 2
- 3

320

10

0532-87605016/87605018

0532-87660287

0532-87604773

www.haitongda.com

haitongda@vip.sina.com